PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

anslation, internation	TENT COOPERATE PCT			52161
INTERNATIO	NAL PRELIMINARY			_
A. (A.	(PCT Article 36 an			
Applicant's or agent's file reference JSONY-376PCT	FOR FURTHER ACTION	See Notific	ation of Transmit Examination Report (ttal of Internati
	International filing date (day)		Priority date (day/m 16 July 200	nonth/year) 2 (16.07.2002)
International Patent Classification (IPC) or nat G03B 21/62				
Applicant	SONY CORPORA	ATION		
This report is also accompanies amended and are the basis for 70.16 and Section 607 of the 2. These annexes consist of a tot	this report and/or sheets con Administrative Instructions u	taining rectification ander the PCT).	on, claims and/or dra tions made before t	wings which have this Authority (see
IV Lack of unity of involved Lack of unity of unity of involved Lack of unity of unity of involved Lack of unity of unit	of opinion with regard to nove ention under Article 35(2) with reg ations supporting such staten	ard to novelty, in		
Date of submission of the demand 12 December 2003 (12.1)		e of completion	of this report October 2004 (08	.10.2004)
Name and mailing address of the IPEA/JP	Aut	thorized officer		
		enhone No		

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Internation pplication No.
PCT/JP2003/008983

I. Ba	sis o	f the rep	ort	
1. W	ith r	egard to	the elements of the international application:*	
Γ		the inter	national application as originally filed	
$\bar{\triangleright}$	<u>ব</u>	the descr	iption:	
K		pages	1-4, 6-17	, as originally filed
		pages _		, filed with the demand
		pages _	5 , filed with the letter of	29 September 2004 (29.09.2004)
\vdash	7	the clain	15:	
K		pages	2-6 0-13	, as originally filed
		pages _		er with any statement under Article 19
		pages _		, filed with the demand
		pages	1,8, filed with the letter of	29 September 2004 (29.09.2004)
r	abla			
Ł	\simeq	the draw		, as originally filed
		pages pages		, filed with the demand
		pages _	, filed with the letter of	
_	_	•		
L	ti	_	nce listing part of the description:	on originalis. Els J
		pages		, as originally filed
		pages .	, filed with the letter of	
		pages .		
<u>ن</u> ها	ha in	starnation	o the language, all the elements marked above were available or furnished to to the language and the standard the standard this item. It were available or furnished to this Authority in the following language	
¹	nes		ts were available or furnished to this Authority in the following language	
	뭐	-	guage of a translation furnished for the purposes of international search (under right).	
	H		guage of publication of the international application (under Rule 46.5(0)). Squage of the translation furnished for the purposes of international prelimina	ry examination (under Rule 55.2 and/
	۷	or 55.3).	
3.	With preli	minary e	to any nucleotide and/or amino acid sequence disclosed in the intermation was carried out on the basis of the sequence listing:	national application, the international
			ned in the international application in written form.	
			ogether with the international application in computer readable form.	
			ned subsequently to this Authority in written form.	
	\Box		ned subsequently to this Authority in computer readable form.	
		interna	tatement that the subsequently furnished written sequence listing does national application as filed has been furnished.	
			tatement that the information recorded in computer readable form is identic furnished.	cal to the written sequence listing has
4.	\boxtimes	The ar	nendments have resulted in the cancellation of:	
1			the description, pages	
1		\boxtimes	the claims, Nos	
			the drawings, sheets/fig	
5.		This re	eport has been established as if (some of) the amendments had not been made, if the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	, since they have been considered to go
	in th and	his repoi 70.17).	sheets which have been furnished to the receiving Office in response to an inv t as "originally filed" and are not annexed to this report since they do	not contain amenaments (Rute 70.10
**	Any	replacen	nent sheet containing such amendments must be referred to under item 1 and an	nnexed to this report.

YES

NO

1-6, 8-13

v.	Reasoned statement under Articitations and explanations supp	cle 35(2) with regard to noveltorting such statement	y, inventive step or industrial applica	ability;
1.	Statement			
	Novelty (N)	· Claims	1-6, 8-13	YES
		Claims		NO NO
	Inventive step (IS)	Claims		YES
		Claims	1-6, 8-13	NO

Claims

Claims

Citations and explanations

Industrial applicability (IA)

JP 2002-107829 A (Toppan Printing Co., Ltd.) sets forth a rear-projection type screen used in a projection television, wherein a surface having lenses of a lenticular lens sheet formed thereupon, and a surface having lenses of a Fresnel lens sheet formed thereupon, wherein a spacer is formed integrally with the peripheral part outside the effective area of the Fresnel lens, are disposed opposite one another, and it is understood that the spacer is provided to the peripheral part outside the effective area, taking into account the impact on the projected image, and it would not be particularly difficult for a person skilled in the art to provide a spacer to the peripheral part within the effective area where a slight impact on the projected image may be expected, therefore the inventions set forth in claims 1, 2, 5, 8, 9 and 12 do not involve an inventive step.

In addition to the aforementioned document, JP 7-64189 A (Dai Nippon Printing Co., Ltd.) sets forth a rearprojection type screen, using as a lenticular lens sheet the fly-eye lenses of a protruding lens sheet comprising a large number of single protruding lenses having spherical shapes or the like which are independent of their surroundings, arranged in two-dimensional directions, therefore the inventions set forth in claims 3 and 10 do

not involve an inventive step.

In addition to the rear-projection type screen set forth in JP 2002-107829 A (Toppan Printing Co., Ltd.) cited above, wherein spacer thickness is 0.60mm, JP 2001-324766 A (Hitachi, Ltd.) cited in the international search report sets forth a rear-projection type screen, wherein a light-transmissive member is disposed between the Fresnel lens and the lenticular lens, thereby separating the opposing surfaces of both lenses, therefore the inventions set forth in claims 4, 6, 11 and 13 do not involve an inventive step.

REC'S PSTIPTO 114 JAN 2005

10/521610

特 許 協 力 条 約

PCT

国際予備審査報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70] REC'D 28 OCT 2004


出願人又は代理人 JSONY- の書類記号 376PCT		国際予備審査報告の送付通知(株 IPEA/416)を参照するこ	1
国際出願番号 PCT/JP03/08983	国際出願日 (日.月.年) 15.07.	優先日 (日.月.年) 1	6.07.2002
国際特許分類(IPC)	Int. Cl'	G03B21/62	
出願人(氏名又は名称)	ソニー株式会社		
1. 国際予備審査機関が作成したこの			定に従い送付する。
2. この国際予備審査報告は、この表案 この国際予備審査報告には、F 査機関に対してした訂正を含む (PCT規則70.16及びPCT この附属書類は、全部で 4	一 対属 情類、 つまり補正されて、 は明細書、 請求の 範囲及び 実施細則第607号参照)	 、この報告の基礎とされた及び <i>,</i>	/又はこの国際予備審
3. この国際予備審査報告は、次の内容		•	
I × 国際予備審査報告の基礎			
Ⅱ 優先権			
Ⅲ Ⅲ 新規性、進歩性又は産業	上の利用可能性についての国	目際予備審査報告の不作成	
IV 第明の単一性の欠如			
V X PCT35条(2)に規定する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるための文献及び説明 Ⅵ ある種の引用文献			
VII 国際出願の不備			
WI 国際出願に対する意見			
		·	·
	Fin W4 52	游客本却在 t. /kr t. t. c.	
国際予備審査の請求書を受理した日 12.12.2003	国際予	備審査報告を作成した日 08.10.200/	4
	1		1 1



国際予備審査報告

国際出願番号 PCT/JP03/08983

I. 国際予備審査報告の基礎	
1. この国際予備審査報告は下記の出願書類に基づいて作成され 応答するために提出された差し替え用紙は、この報告書にま PCT規則70.16,70.17)	た。 (法第6条 (PCT14条) の規定に基づく命令に いて「出願時」とし、本報告書には添付しない。
出願時の国際出願書類	
明細書 第 ページ、	出願時に提出されたもの 国際予備審査の請求書と共に提出されたもの 29.09.2004 付の書簡と共に提出されたもの
請求の範囲 第 項、 請求の範囲 第 項、	出願時に提出されたもの PCT19条の規定に基づき補正されたもの 国際予備審査の請求書と共に提出されたもの 29.09.2004 付の書簡と共に提出されたもの
71 <u> </u>	出願時に提出されたもの 国際予備審査の請求費と共に提出されたもの 付の書簡と共に提出されたもの
	出願時に提出されたもの 国際予備審査の請求書と共に提出されたもの 付の書簡と共に提出されたもの
2. 上記の出願書類の言語は、下記に示す場合を除くほか、この	D国際出願の言語である。
上記の書類は、下記の言語である 語である	5。 ·
■ 国際調査のために提出されたPCT規則23.1(b)にいます。■ PCT規則48.3(b)にいう国際公開の言語■ 国際予備審査のために提出されたPCT規則55.2また	
3. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでは	おり、次の配列表に基づき国際予備審査報告を行った。
書の提出があった	出された書面による配列表
4. 補正により、下記の書類が削除された。	~~»
X 請求の範囲 第7、14	項
5. この国際予備審査報告は、補充欄に示したように、補正:	が出願時における開示の範囲を超えてされたものと認めら 、(PCT規則70.2(c) この補正を含む差し替え用紙は上



国際出願番号 PCT/JP03/08983

新規性、進歩性又は産業上の和 文献及び説明	用可能性についての法第 	1 2条 (PCT35条(2)) に定める見 	解、それを 裏付け
. 見解			
· 新規性(N)	請求の範囲 請求の範囲	1-6, 8-13	
進歩性 (IS)	請求の範囲 請求の範囲	1-6, 8-13	
産業上の利用可能性 (IA)	請求の範囲 請求の範囲	1-6, 8-13	
文献及び説明 (PCT規則70.請求項1、2、5、8	9.12は、国	祭調査報告で引用された文献	JP 20 (
2-107829 A(のレンズが形成された面 成形されたフレネルレン	凸版印刷株式会社) と、スペーサーが゛ ズシートのレンズ)	において、レンチキュフー フレネルレンズ有効領域外の が形成された面とが対向配置	レンスシート 周辺部に一体 されたプロシ
の影響を考慮して有効領 影画像への多少の影響が	域外の周辺部にス [・] 予想される有効領 ⁵	スクリーンが記載されており ペーサーを設けているものと 或内の周辺部にスペーサーを	認められ、そ
D 7-6/120 A) は、上記文献に加 (大日本印刷株式:	を有していない。 Iえて、国際調査報告で引用で会社)において、レンチキュ の単位レンズを多数2次元方	、フーレンスこ
なる突起状レンズシート スので 進歩性を有して	蝿の目レンズを使ん いない。	7年位レンスを多数 2 0 0 2 用する背面投写型スクリーン 記最初の文献 J P 2 0 0 2	かがられてい
9 A (凸版印刷株式会 ーンも示されているのに	社) にスペーサー 加えて、国際調査	記載物の文献 J T 2002 厚さ O . 6 O m m とした背面 報告で引用された文献 J P おいて、フレネルレンズとレ	i投写型スク! 2001ー:
24766 A (株式会 ンズとの間に光透過性部 スクリーンが示されてい	材を配し、両レン	ズの対向面を互いに離間させ	た背面投写

5

によってレンチキュラーレンズ b とフレネルレンズ d との接触を防止する効果には限界があった。

本発明は、上記問題点に鑑み、背面投写型の映像表示装置に用いられる2つのシート状部材から成る背面投写型スクリーンにおいて、有効画面領域内で2つのシート状部材間の間隔を最適な状態に保つことによって、2つのシート状部材のレンズの変形及び傷付きなどを防止して映像の品質を向上させることを課題とする。

発明の開示

5

20

本発明背面投写型スクリーンは、上記課題を解決するために、透明材料から成り少なくとも一方の面に微細形状のレンズが形成された2つのシート状部材をそれぞれのレンズが形成された面が互いに対向するように配置し、映像光を透過させて結像させるための領域である有効画面領域内であり、かつ有効画面領域の周辺部における2つのシート状部材の互いに対向したレンズの間に複数のスペーサ部材を適宜な間隔で配置したものである。

また、本発明背面投写型映像表示装置は、映像光源から出射された映像光を透過させて結像させる背面投写型スクリーンを備え、上記背面投写型スクリーンを透明材料から成り少なくとも一方の面に微細形状のレンズが形成された2つのシート状部材をそれぞれのレンズが形成された面が互いに対向するように配置することによって構成し、映像光を透過させて結像させるための領域である有効画面領域内における2つのシート状部材の互いに対向したレンズの間に複数のスペーサ部材を適宜な間隔で配置したものである。

25 したがって、本発明背面投写型スクリーン及び背面投写型映像表示装 置にあっては、シート状部材の対向するレンズの間に配置されたスペー

請求の範囲

- 1. (補正後) 映像光源から投写された映像光を透過させて結像させる背面投写型スクリーンであって、
- 5 透明材料から成り少なくとも一方の面に微細形状のレンズが形成された た2つのシート状部材がそれぞれのレンズが形成された面が互いに対向 するように配置され、

映像光を透過させて結像させるための領域である有効画面領域内であり、かつ有効画面領域の周辺部における上記2つのシート状部材の互い に対向したレンズの間に複数のスペーサ部材を適宜な間隔で配置した ことを特徴とする背面投写型スクリーン。

- 2. 上記2つのシート状部材が、少なくとも一方の面にレンチキュラーレンズが形成されたレンチキュラーレンズシートと、一方の面にフレネルレンズが形成されたフレネルレンズシートとであることを特徴とする請求の範囲第1項に記載の背面投写型スクリーン。
- 3. 上記2つのシート状部材が、一方の面に複眼レンズが形成された 複眼レンズシートと、一方の面にフレネルレンズが形成されたフレネル レンズシートとであることを特徴とする請求の範囲第1項に記載の背面 投写型スクリーン。
- 20 4. 上記スペーサ部材は、2つのシート状部材のレンズの互いに対向したレンズ素子の頂点と頂点との間に位置するようにされたことを特徴とする請求の範囲第1項に記載の背面投写型スクリーン。
 - 5. 上記スペーサ部材は、一方のシート状部材のレンズと一体に形成されたことを特徴とする請求の範囲第1項に記載の背面投写型スクリー

25 ン。

15

- 6. 上記スペーサ部材は縦、横、高さが1mm以下の直方体領域の中に収まる大きさに形成されたことを特徴とする請求の範囲第1項に記載の背面投写型スクリーン。
- 7. (削除)

15

20

5 8. (補正後) 映像光源から出射された映像光を投写手段を介して拡 大表示する背面投写型映像表示装置であって、

投写手段によって投写された映像光を透過させて結像させる背面投写 型スクリーンを備え、

上記背面投写型スクリーンは、透明材料から成り少なくとも一方の面 10 に微細形状のレンズが形成された2つのシート状部材をそれぞれのレン ズが形成された面が互いに対向するように配置することによって構成され、

映像光を透過させて結像させるための領域である有効画面領域内であり、かつ有効画面領域の周辺部において上記2つのシート状部材の互いに対向したレンズの間に複数のスペーサ部材を適宜な間隔で配置したことを特徴とする背面投写型映像表示装置。

- 9. 上記2つのシート状部材が、少なくとも一方の面にレンチキュラーレンズが形成されたレンチキュラーレンズシートと、一方の面にフレネルレンズが形成されたフレネルレンズシートとであることを特徴とする請求の範囲第8項に記載の背面投写型映像表示装置。
- 10. 上記2つのシート状部材が、一方の面に複眼レンズが形成された複眼レンズシートと、一方の面にフレネルレンズが形成されたフレネルレンズシートとであることを特徴とする請求の範囲第8項に記載の背面投写型映像表示装置。

- 11. 上記スペーサ部材は、2つのシート状部材のレンズの互いに対向したレンズ素子の頂点と頂点との間に位置するようにされたことを特徴とする請求の範囲第8項に記載の背面投写型映像表示装置。
- 12. 上記スペーサ部材は、一方のシート状部材のレンズと一体に形成されたことを特徴とする請求の範囲第8項に記載の背面投写型映像表示装置。
 - 13. 上記スペーサ部材は縦、横、高さが1mm以下の直方体領域の中に収まる大きさに形成されたことを特徴とする請求の範囲第8項に記載の背面投写型映像表示装置。
- 10 14. (削除)